<u>WHA</u>

<u>at is ci</u>	<u>_AIMED IS</u> :
1.	Seed of a cotton variety designated 01W99R wherein a sample of seed
	was deposited under ATCC Accession No
2.	A cotton plant, or parts thereof, of variety 01W99R, seed of said variety
	having been deposited under ATCC Accession No
3.	Pollen of the plant of claim 2.
4.	An ovule of the plant of claim 2.
5.	A tissue culture of regenerable cells from the plant of claim 2.
6.	A tissue culture according to claim 5, wherein said cell or a protoplast of
	the tissue culture is derived from a tissue selected from the group
	consisting of: leaves, pollen, embryos, cotyledon, hypocotyl,
	meristematic cells, roots, root tips, anthers, flowers, seeds, stems and
	pods.
7.	A cotton plant regenerated from the tissue culture of claim 5, wherein the
	regenerated plant is capable of expressing all of the morphological and
	physiological characteristics of cotton cultivar 01W99R and wherein a
	sample of seed was deposited under ATCC Accession No
8.	A method for producing a hybrid cotton seed comprising crossing a first
	parent cotton plant with a second parent cotton plant and harvesting the
	resultant hybrid cotton seed, wherein said first parent cotton plant or said
	second parent cotton plant is the cotton plant of claim 2.
9.	A hybrid cotton seed produced by the method of claim 8.
10.	A hybrid cotton plant, or parts thereof, produced by growing said hybrid
	cotton seed of claim 9.
11.	A method of producing a cotton seed by growing said hybrid cotton plant
	of claim 10 and harvesting the resultant seed.
12.	A method for producing a cotton variety 01W99R-derived cotton plant,
	comprising:
	a) crossing cotton variety 01W99R wherein a sample of seed was
	deposited under ATCC accession number, with a second
	cotton plant to yield progeny cotton seed; and

growing said progeny cotton seed, under plant growth conditions, b) to yield said cotton variety 01W99R-derived cotton plant.

- 13. A cotton plant, or parts thereof, produced by the method of claim 12.
- 14. A method for producing a cotton variety 01W99R-derived cotton plant, comprising:
 - a) crossing cotton variety 01W99R wherein a sample of seed was deposited under ATCC accession number _____, with a second cotton plant to yield progeny cotton seed;
 - b) growing said progeny cotton seed, under plant growth conditions, to yield said cotton variety 01W99R-derived cotton plant;
 - crossing said cotton variety 01W99R-derived cotton plant with itself to yield additional cotton variety 01W99R-derived progeny cotton seed;
 - d) growing said progeny cotton seed of step (c) under plant growth conditions, to yield additional cotton variety 01W99R-derived cotton plants; and
 - e) repeating the crossing and growing steps of (c) and (d) from 0 to 7 times to generate further cotton variety 01W99R-derived cotton plants.
- 15. A cotton plant, or parts thereof, produced by the method of claim 14.
- The cotton plant, or parts thereof, of claim 2, wherein the plant or parts thereof have been transformed so that its genetic material contains a transgene operably linked to a regulatory element and wherein said transgene is selected from the group consisting of: herbicide resistance, insect resistance and disease resistance.
- 17. A cotton plant according to claim 16, wherein said herbicide resistance is to glyphosate, glufosinate; a sulfonylurea or imidazolinone herbicide, or a protoporphyrinogen oxidase inhibitor.
- 18. A method for producing a cotton plant that contains in its genetic material a transgene, comprising crossing the cotton plant of claim 2 with a cotton plant containing a transgene, so that the genetic material of the progeny that result from the cross contains a transgene operably linked to a regulatory element.

- 19. The method of claim 18, wherein said transgene is selected from the group consisting of: herbicide resistance, insect resistance and disease resistance.
- 20. Cotton plants, or parts thereof, produced by the method of claim 18.